# AVer Vision<sup>®</sup>CP135

As Real as It Gets









details up to 16X.










## **High-Definition Output**

HD 720p output resolution ensures your displayed images are clear on big screens.



## Snap, Save, Share

Take 3-megapixel pictures of great works, save them in the built-in memory, and create a refreshing in-class sharing experience of your own.



### All-New Revolutionary AVer+ Software

- · Leverage content from an AVerVision visualizer, a computer, the internet, and user-created material to provide a rich learning experience
- Organize your teaching material on multiple project pages with unlimited page space for intuitive learning
- · Write, draw, or type text on top of any material you have chosen to use
- · Record and share your favorite teachings and your students' work



| Real-Time Movements                     | Computer Programs AVerVision® CP135                |
|---|--|
|   |  |
| Product Specifications                  |  |
| Image Sensor                            | 1/2" CMOS Color Image Sensor                       |
| Total Pixels                            | 3.2M Pixels  |
| Output Resolution                       | HD 720p (1280 x 720)                               |
| Lens                                    | F 3.0; fl = 9.6mm                                  |
| Zoom                                    | 16X Total Zoom (2X AVerZoom™ + 8X Digital Zoom)    |
| Frame Rate                              | 24fps (Max.)                                       |
| Focus                                   | Manual   |
| Shooting Area                           | 330 x 248mm (Max.)                                 |
| Image Rotation                          | Camera Head 0° / 90° / -90°                        |
| Image Storage                           | Built-in Memory (Max: 80; up to 3M each)           |
| On-Screen Display (OSD)                 | Provided   |
| Image Effects                           | Color / B&W / Negative / Mirror / Reverse / Freeze |
| Image Adjustments                       | Auto / Manual                                      |
| (White Balance / Exposure / Night View) |  |
| AVerPresenter                           | Provided (AVerBox & AVerVisor)                     |
| Split Screen                            | Provided (Vertical & Horizontal)                   |
| Picture-in-Picture                      | Provided   |
| Display Mode                            | Text / Graphics / High Frame                       |
| Capture Mode                            | Single / Continuous                                |
| User Profiles                           | Up to 3  |
| Timer                                   | Provided   |
| Flicker Filter Control                  | Provided (2 Levels)                                |
| Remote Control                          | Provided   |
| RGB Input                               | Provided (15-Pins D-Sub, Pass Through)             |
| RGB Output                              | Provided (15-Pins D-Sub, Pass Through)             |
| S-Video & Composite Video Output        | Provided (NTSC or PAL)                             |
| USB 2.0 Port                            | Provided (PC Camera / Built-in Image Download)     |
| Light Source                            | Embedded LED Lamp                                  |
| Dimension                               | Operating: 180mm x 480mm x 504mm                   |
|   | Folded: 230mm x 340mm x 61mm                       |
| Net Weight                              | 2.4kg (5.29lbs)                                    |
| Power Consumption                       | 20W (Max.)   |
| Certifications                          | FCC, CE  |
| Compatible Operating System (A          | Ver+ Software)                                     |
| Windows®                                | XP (SP2), Vista (32-bit or 64-bit)                 |
| Macintosh®                              | OS 10.4 (Tiger), OS 10.5 (Leopard)                 |
| Package Content                         |  |
| AVerVision® CP135 Unit                  | Remote Control with Batteries                      |
| AVer+ Software CD                       | User Manual CD                                     |
| Power Adapter                           | Quick Guide  |
| RGB Cable                               | Warranty Card                                      |
| USB Cable                               | Anti-Glare Sheet                                   |















#### **Optional Accessories**









Microscopic Adapter

Light Box

Carrying Bag

Security Bracket

#### Distributor / Dealer:





