


# AirLiner™ Wireless Slate

## Specifications – Model WS100

### Physical Specifications

<b>Size</b>	11" W × 10 1/8" H × 1" D (27.9 cm × 25.7 cm × 2.5 cm)
<b>Active Screen Area</b>	7 3/4" W × 6" H (19.7 cm × 15.2 cm) 9 3/4" (24.8 cm) diagonal
<b>Weight</b>	2 lb. (0.9 kg)
<b>Shipping Size</b>	11 1/2" W × 13 1/4" H × 3 3/4" D (29.2 cm × 33.7 cm × 9.5 cm)
<b>Shipping Weight</b>	4 lb. (1.8 kg)



All dimensions +/- 1/8" (0.3 cm). All weights +/- 2 lb. (0.9 kg).

### Standard Features

<b>Software</b>	SMART Board™ software and Notebook™ software. Software upgrades are available at <a href="http://www.smarttech.com/support/software/index.asp">www.smarttech.com/support/software/index.asp</a> .
<b>Communication Interface</b>	Bluetooth® wireless technology using HID protocol
<b>Electromagnetic Technology</b>	Allows you to rest your hand and write naturally on the transparent overlay, without interfering with the digital ink
<b>Maximum Report Rate</b>	100 points per second
<b>Coordinate Resolution</b>	2,032 lpi (80 lpmm)
<b>Bluetooth Adapter</b>	Class 2 adapter allows wireless connectivity with an expected range of 52' (15.9 m) and a maximum range in free space of 164' (50.0 m)
<b>Underlay and Icon Strip</b>	Allows you to switch between the eraser, electronic ink colors (black, blue, red and green), right-click, floating keyboard, screen capture tools and SMART Board software control panel
<b>Anti-Slip Feet</b>	Four anti-slip rubber feet keep the AirLiner™ wireless slate stable when working on flat surfaces.
<b>Buttons</b>	Two programmable buttons open Floating Tools and Notebook software by default.
<b>Pen</b>	Battery-free tethered pen. +/- 0.5 mm accuracy with an average reading height of 5 mm.
<b>Mouse</b>	Battery-free wireless fingerwheel mouse with continuous rotation, 24 notches per revolution
<b>Power Requirements</b>	6V DC, 450mA from Class 2 power adapter
<b>Power Adapter</b>	Input Voltage: 100V–240V AC, 50 Hz–60 Hz, 0.3 VA Output Voltage: 6V DC, 1.0A
<b>Battery</b>	Rechargeable lithium ion battery with 25–30 hours of life per charge, 3.7V, 1800mA
<b>Certifications and Compliance</b>	CE, FCC, RoHS (Europe), WEEE
<b>Warranty</b>	Two-year limited warranty

---

## SMART Board Software 9.7 Computer Requirements

<b>Windows® Computers</b>	Pentium® II 450 MHz processor 128 MB of RAM (256 MB recommended) 150 MB of free hard disk space for minimum installation (840 MB for full installation with Gallery collections) Windows 2000, Windows XP or Windows Vista™ operating system Internet Explorer® internet browser 6.0 or later Adobe® Flash™ player version 8
<b>Requirements for SMART Video Player</b>	Pentium II 450 MHz processor (700 MHz or faster recommended) Windows 2000 operating system or later Microsoft® DirectX® technology 8.1 or later
<b>Mac Computers</b>	700 MHz processor (1 GHz or faster recommended) 128 MB of RAM (256 MB recommended) 75 MB of free hard disk space for minimum installation (930 MB for full installation with Gallery collections) Mac OS X version 10.4.x operating system software Safari application program version 1.3.2 or later SMART Board software version 9.7 supports both PowerPC® and Intel® processors (universal binary)
<b>Linux® Computers</b>	Pentium II 450 MHz processor 128 MB of RAM (256 MB recommended) 225 MB of free hard disk space for minimum installation (800 MB for full installation with Gallery collections) Linux kernel version 2.6 or later X Window System™ version 11 release 6 (X11R6) or later (must support XRender, Xinerama™, XFixes, Xau and Xdmcp) glibc 2.3.3 (gcc 3.4.2) libstdc++6 GNOME™ 2.8.0+ or KDE® 3.3+ libraries (recommended) SUSE™ 10, Red Hat® Enterprise Linux 4 WS, Debian® 3.1 (Sarge), Ubuntu® 6.06 LTS or Fedora™ Core 3+

---

## Storage and Operating Specifications

<b>Storage</b>	14°F–140°F (-10°C–60°C) with 20%–90% humidity, non-condensing
<b>Operating</b>	41°F–104°F (5°C–40°C) with 20%–80% humidity, non-condensing


---

## SMART Order Numbers


<b>WS100</b>	AirLiner wireless slate
<b>WS100-BNDL</b>	AirLiner wireless slate (when purchased with a SMART Board 600 series interactive whiteboard)

Dimensions


Top View




Back View



Side View



Front View



SMART Technologies Inc.  
1207 – 11 Avenue SW, Suite 300  
Calgary, AB T3C 0M5  
CANADA



[www.smarttech.com/support](http://www.smarttech.com/support) [www.smarttech.com/contactsupport](http://www.smarttech.com/contactsupport)  
Support +1.403.228.5940 or Toll Free 1.866.518.6791 (Canada/U.S.)